

## Eskey Creek Drill Locations and Orientations

Hole	EASTING	NORTHING	ELEVATION	LENGTH (M)	AZIMUTH	Dip
SK-19-052	9739.9	10042.2	1028.6	86.0	180.9	-68.5
SK-19-053	9739.9	10042.2	1027.4	88.0	204.8	-76.4
SK-19-054	9739.9	10042.2	1021.5	88.0	261.1	-62.6
SK-19-055	9716.2	10014.2	1051.7	97.0	258.7	-77.0
SK-19-056	9716.2	10014.2	1051.8	95.5	135.0	-72.0
SK-19-057	9716.2	10014.2	1051.0	95.0	174.7	-65.8
SK-19-058	9716.2	10014.2	1048.5	95.0	177.6	-77.9
SK-19-059	9897.0	10138.0	1036.4	126.0	112.9	-50.8
SK-19-060	9897.0	10138.0	1036.2	106.0	129.2	-49.6
SK-19-061	9897.0	10138.0	1036.8	125.0	101.5	-56.0
SK-19-062	10075.2	10352.9	980.0	50.0	101.5	-55.9
SK-19-064	9898.9	10089.5	1025.7	90.0	125.5	-56.2
SK-19-065	9898.9	10089.5	1028.5	85.0	216.8	-82.7
SK-19-066	9898.9	10089.5	1025.7	90.0	93.0	-54.7
SK-19-067	9912.9	10031.3	991.6	135.0	107.2	-51.0
SK-19-068	9921.7	10040.9	990.6	140.1	109.2	-89.0
SK-19-069	9921.7	10040.9	990.6	150.0	137.6	-83.0
SK-19-070	10080.1	10411.7	970.9	70.0	102.0	-72.4
SK-19-071	10080.1	10411.7	970.9	65.0	80.4	-88.5
SK-19-072	10080.1	10411.7	970.9	55.0	75.2	-71.9
SK-19-073	10066.2	10418.0	967.1	61.0	54.3	-84.6
SK-19-074	10066.2	10418.0	967.1	55.0	157.3	-76.4
SK-19-075	10062.4	10428.1	961.7	61.0	61.5	-60.0
SK-19-076	10105.7	10432.3	980.3	55.0	47.0	-84.2
SK-19-077	10105.7	10432.3	980.3	35.0	271.1	-65.3
SK-19-078	10105.7	10432.3	980.3	41.0	209.9	-48.6
SK-19-079	10105.7	10432.3	980.3	52.0	172.7	-67.7
SK-19-080	9891.3	9868.1	1008.5	56.0	28.7	-89.5
SK-19-081	9891.3	9868.1	1008.5	65.0	312.8	-73.9
SK-19-082	9891.3	9868.1	1008.5	45.0	217.1	-54.8
SK-19-083	9905.7	9883.8	998.8	55.6	306.0	-53.8
SK-19-084	10070.0	10387.0	975.6	67.0	77.0	-60.2
SK-19-085	10070.0	10387.0	975.6	50.0	0.0	-90.0
SK-19-085A	10070.0	10387.0	974.8	50.0	0.0	-90.0
SK-19-086	9905.7	9883.8	998.8	60.0	270.4	-71.9

## Eskey Creek Drill Locations and Orientations

Hole	EASTING	NORTHING	ELEVATION	LENGTH (M)	AZIMUTH	Dip
SK-19-087	9905.7	9883.8	998.8	61.0	89.8	-78.7
SK-19-088	9916.0	9905.0	986.3	45.0	241.9	-54.0
SK-19-089	9916.0	9905.0	986.3	40.0	314.8	-64.4
SK-19-090	9916.0	9905.0	986.3	45.0	288.7	-47.8
SK-19-091	9910.0	9924.7	993.7	40.0	270.0	-80.0
SK-19-092	9884.9	9929.4	1011.9	60.0	180.7	-72.1
SK-19-093	9884.9	9929.4	1011.9	65.0	92.6	-77.3
SK-19-094	9885.7	9941.2	1008.0	45.0	269.3	-80.1
SK-19-095	9907.0	9942.0	989.0	46.0	270.4	-50.2
SK-19-096	9904.0	9951.0	992.8	45.0	286.0	-45.0
SK-19-097	9905.2	9960.0	992.6	50.0	269.8	-69.7
SK-19-098	9956.8	10115.2	980.5	42.0	167.2	-63.5
SK-19-099	9956.8	10115.2	980.5	42.0	53.9	-64.8
SK-19-100	9973.0	10139.0	972.6	41.4	73.2	-59.8
SK-19-101	9973.0	10139.0	972.6	42.0	130.4	-65.5
SK-19-102	10082.0	10339.0	981.0	57.0	111.8	-67.1
SK-19-103	10082.0	10339.0	981.0	55.0	119.2	-89.4
SK-19-104	10075.0	10353.0	980.0	59.0	337.5	-89.4
SK-19-105	10075.0	10353.0	980.0	62.0	109.0	-71.7
SK-19-106	10169.0	10373.0	989.0	40.0	338.7	-60.5
SK-19-107	10169.0	10373.0	989.0	35.0	316.0	-89.1
SK-19-108	10169.0	10373.0	989.0	39.0	198.1	-50.2
SK-19-109	10070.0	10374.0	973.0	71.0	71.4	-66.2
SK-19-110	10070.0	10374.0	973.0	53.0	87.7	-88.0
SK-19-111	10093.2	10377.8	986.6	73.0	20.9	-68.7
SK-19-112	10093.0	10378.0	987.0	70.0	22.1	-80.6
SK-19-113	10101.0	10406.0	984.0	61.0	93.1	-75.0
SK-19-114	10101.0	10406.0	984.0	70.0	120.0	-66.2
SK-19-115	10108.5	10449.8	976.9	55.0	125.9	-78.8
SK-19-116	10108.5	10449.8	976.9	26.0	217.3	-51.7
SK-19-117	10108.5	10449.8	976.9	64.0	32.7	-80.3
SK-19-118	10086.0	10462.0	966.0	61.0	107.3	-65.8
SK-19-119	10086.0	10462.0	966.0	52.0	158.3	-81.1
SK-19-120	10112.0	10463.6	972.9	35.0	115.8	-72.3
SK-19-121	10112.0	10463.6	972.9	36.0	68.8	-50.1
SK-19-122	10112.0	10463.6	972.9	59.0	265.8	-82.8

## Eskay Creek Drill Locations and Orientations

Hole	EASTING	NORTHING	ELEVATION	LENGTH (M)	AZIMUTH	Dip
SK-19-123	10097.0	10475.0	963.0	37.0	204.6	-69.2
SK-19-124	10097.0	10475.0	963.0	50.0	108.9	-78.3
SK-19-125	10097.0	10475.4	962.8	50.0	294.7	-74.4
SK-19-126	10092.0	10492.0	957.0	46.0	210.8	-83.5
SK-19-127	10092.0	10492.0	957.0	50.0	329.4	-74.0
SK-19-128	10086.0	10527.0	941.0	36.0	161.6	-60.3
SK-19-129	10086.0	10527.0	941.0	41.0	210.8	-76.6
SK-19-130	10086.0	10527.0	941.0	40.0	210.7	-55.1
SK-19-131	10086.0	10527.0	941.0	40.0	88.1	-51.2
SK-19-132	9896.0	9998.0	994.0	30.0	90.0	-86.7
SK-19-133	9925.1	10847.4	874.1	25.0	181.3	-50.4
SK-19-134	9925.0	10852.2	874.6	20.0	330.6	-50.7
SK-19-135	9954.4	10841.0	887.3	42.5	251.0	-54.4
SK-19-136	9954.7	10837.4	886.5	47.0	284.7	-49.8
SK-19-137	9954.7	10840.5	883.3	44.0	295.4	-73.8
SK-19-138	9931.0	10870.3	875.2	39.0	83.5	-79.3
SK-19-139	9931.0	10869.0	873.9	32.0	274.1	-50.0
SK-19-140	9936.0	10781.1	896.9	47.0	338.7	-68.8
SK-19-141	9936.0	10777.8	897.6	47.0	172.7	-75.2
SK-19-142	9952.0	10788.9	893.6	35.0	297.5	-70.5
SK-19-143	9933.1	10746.2	911.1	44.0	117.2	-77.7
SK-19-144	9933.1	10744.1	909.8	44.0	188.7	-65.7
SK-19-145	9955.0	10761.6	903.7	50.0	296.6	-74.6
SK-19-146	9955.0	10761.3	902.0	47.0	286.7	-54.2
SK-19-147	9787.0	9874.0	1060.0	170.0	63.2	-67.8
SK-19-148	9787.0	9874.0	1060.0	212.0	82.4	-69.7
SK-19-149	9787.0	9874.0	1060.0	192.2	95.0	-68.0
SK-19-150	9709.7	10093.7	1019.8	86.0	187.6	-53.0
SK-19-151	9813.0	9981.0	1041.7	197.0	76.2	-69.8
SK-19-152	9813.0	9981.0	1041.7	209.0	94.2	-65.2
SK-19-153	9813.0	9981.0	1041.7	201.0	97.2	-75.4
SK-19-154	9813.0	9981.0	1041.7	200.0	6.8	-68.2
SK-19-155	9765.3	9994.8	1039.8	95.0	73.2	-85.4
SK-19-156	9765.3	9994.8	1040.3	86.0	204.1	-78.4
SK-19-157	9765.3	9994.8	1040.3	81.0	232.4	-65.1
SK-19-158	9763.8	9996.1	1040.8	86.0	273.6	-75.5

## Eskay Creek Drill Locations and Orientations

Hole	EASTING	NORTHING	ELEVATION	LENGTH (M)	AZIMUTH	Dip
SK-19-159	9877.9	10073.5	1025.8	80.0	146.3	-85.3
SK-19-160	9877.9	10073.7	1025.3	77.0	118.6	-57.9
SK-19-161	9877.9	10075.7	1026.1	95.0	92.3	-61.8
SK-19-162	9796.4	10027.9	1043.1	107.0	278.2	-72.0
SK-19-163	9796.4	10027.7	1043.1	125.0	265.7	-89.8
SK-19-164	9871.3	10116.9	1031.0	122.0	155.1	-64.2
SK-19-165	9871.3	10116.9	1031.0	11.0	126.7	-57.7
SK-19-165A	9871.3	10116.9	1031.0	25.4	133.0	-57.4
SK-19-165B	9871.3	10116.9	1031.0	110.0	131.6	-57.3
SK-19-166	9871.3	10116.9	1031.0	132.0	94.3	-58.5
SK-19-167	9807.3	10021.0	1039.8	116.0	84.6	-70.6
SK-19-168	9905.7	10160.8	1030.1	29.0	106.2	-49.5
SK-19-168A	9905.7	10160.8	1030.1	122.0	105.5	-52.0
SK-19-169	9905.7	10160.8	1030.1	117.0	95.2	-49.6
SK-19-170	9881.3	10166.5	1030.7	137.0	105.0	-55.3
SK-19-171	9883.2	10165.3	1034.8	66.0	106.4	-62.4
SK-19-171A	9883.2	10165.3	1034.8	137.0	102.7	-63.3
SK-19-172	9883.0	10164.5	1035.3	146.0	119.2	-52.7
SK-19-173	9893.6	10198.7	1034.8	23.0	107.8	-65.4
SK-19-173A	9893.6	10198.7	1034.8	125.0	115.7	-65.7
SK-19-174	9894.1	10198.4	1034.5	125.0	112.3	-56.2
SK-19-175	9876.9	9909.0	1023.2	65.0	281.4	-88.1
SK-19-176	9871.2	9896.3	1022.4	45.2	178.9	-66.0
SK-19-177	9870.7	9895.9	1021.8	45.0	0.0	-90.0
SK-19-178	9860.3	9891.2	1018.5	146.0	289.0	-85.2
SK-19-179	9859.9	9891.4	1022.1	155.0	316.9	-78.0
SK-19-180	9859.7	9938.1	1024.7	171.7	246.5	-89.8
SK-19-181	9860.4	9937.7	1026.3	155.0	146.8	-82.0
SK-19-182	9861.5	9874.6	1021.2	137.0	59.0	-85.8
SK-19-183	9858.5	9874.6	1026.6	122.0	288.8	-85.7
SK-19-184	9860.0	9874.6	1020.5	20.0	205.1	-82.0
SK-19-184A	9860.0	9874.6	1020.5	116.0	190.8	-82.8
SK-19-185	10136.0	10246.7	974.7	35.0	72.1	-53.0
SK-19-186	10135.1	10246.0	975.0	35.0	174.1	-86.2
SK-19-187	10135.4	10276.0	983.3	32.0	239.0	-89.4
SK-19-188	10145.5	10267.4	982.8	50.0	185.3	-64.7

## Eskey Creek Drill Locations and Orientations

Hole	EASTING	NORTHING	ELEVATION	LENGTH (M)	AZIMUTH	Dip
SK-19-189	10102.8	10252.5	968.2	56.0	229.5	-59.8
SK-19-190	10103.9	10251.5	966.3	65.0	261.0	-72.1
SK-19-191	10103.9	10251.5	966.3	56.0	185.3	-72.4
SK-19-192	10106.1	10250.3	965.7	62.0	186.0	-54.0
SK-19-193	10104.7	10251.6	965.7	50.0	144.9	-53.2
SK-19-194	10151.4	10318.9	983.1	16.0	215.7	-79.8
SK-19-194A	10151.4	10318.7	983.4	47.0	226.4	-78.9
SK-19-195	10150.7	10318.7	983.3	56.0	226.5	-62.2
SK-19-196	10151.3	10318.7	982.7	50.0	174.3	-64.0
SK-19-197	10152.6	10318.6	982.8	53.0	121.2	-71.6
SK-19-198	10152.7	10318.2	982.6	14.0	45.0	-80.0
SK-19-198A	10152.7	10318.2	982.6	56.0	61.9	-80.0
SK-19-199	10152.4	10319.4	981.9	56.0	45.5	-61.1
SK-19-200	10079.8	10263.8	966.1	77.0	39.7	-81.4
SK-19-201	10082.8	10261.9	969.3	77.0	58.5	-61.1
SK-19-202	10082.8	10261.6	969.6	77.0	61.1	-72.6
SK-19-203	10082.3	10262.4	968.4	14.0	83.2	-80.1
SK-19-203A	10082.3	10262.4	968.4	71.0	85.7	-79.2
SK-19-204	10082.7	10260.3	969.8	68.0	86.0	-64.8
SK-19-205	10083.4	10260.1	969.1	65.0	82.4	-50.5
SK-19-206	10145.5	10267.4	982.8	50.0	277.9	-88.5
SK-19-207	10147.3	10267.0	981.8	47.0	129.6	-66.3
SK-19-208	10119.8	10303.5	979.5	62.0	150.9	-67.0
SK-19-209	10119.9	10303.5	980.9	65.0	149.0	-51.4
SK-19-210	10077.8	10286.2	977.7	86.0	54.0	-81.5
SK-19-211	10078.5	10285.6	977.7	92.0	57.5	-74.4
SK-19-212	10134.8	10336.7	983.7	14.0	38.8	-67.6
SK-19-212A	10134.8	10336.7	983.7	41.0	25.4	-71.0
SK-19-213	10134.2	10336.8	984.2	35.0	255.7	-51.8
SK-19-214	10134.4	10337.1	985.2	41.0	320.3	-79.8
SK-19-215	10124.5	10272.3	979.7	32.0	327.1	-82.2
SK-19-216	10106.2	10308.4	980.2	71.0	160.1	-57.3
SK-19-217	10106.0	10308.3	980.7	71.0	164.1	-68.6
SK-19-218	10106.4	10308.4	979.4	17.0	205.0	-84.0
SK-19-218A	10106.4	10308.4	979.4	71.0	199.1	-84.1
SK-19-219	10106.4	10308.3	979.7	47.0	189.7	-60.2

## Eskey Creek Drill Locations and Orientations

Hole	EASTING	NORTHING	ELEVATION	LENGTH (M)	AZIMUTH	Dip
SK-19-220	10130.6	10264.2	979.5	50.0	181.9	-67.2
SK-19-221	10130.5	10266.5	980.3	59.0	228.9	-87.0
SK-19-222	10120.1	10383.8	976.3	24.0	277.0	-85.2
SK-19-222A	10120.3	10384.6	975.0	122.0	270.3	-86.6
SK-19-223	10120.0	10367.4	975.3	45.0	3.4	-89.1
SK-19-224	10138.5	10322.9	981.5	66.0	44.1	-56.8
SK-19-225	10138.1	10321.0	981.8	62.0	43.8	-72.1
SK-19-226	10138.3	10320.4	981.9	54.0	220.5	-89.9
SK-19-227	10132.3	10389.1	977.2	44.0	28.9	-70.1
SK-19-228	10132.1	10389.2	975.3	41.0	285.5	-78.3
SK-19-229	10137.8	10293.3	980.8	65.0	142.6	-74.8
SK-19-230	10135.5	10293.3	980.9	62.0	43.5	-86.7
SK-19-231	10136.9	10292.7	981.0	53.0	86.0	-71.5
SK-19-232	10128.3	10363.6	975.6	102.0	63.1	-89.1
SK-19-233	10114.2	10344.7	976.8	41.0	92.2	-78.5
SK-19-234	10113.4	10343.8	977.0	45.0	239.0	-72.0
SK-19-235	10110.2	10277.7	976.3	32.0	114.4	-60.5
SK-19-236	10108.4	10276.0	975.6	47.0	194.4	-67.6
SK-19-237	10109.1	10317.4	977.2	47.0	267.0	-69.2
SK-19-238	10109.3	10317.8	977.5	35.0	86.3	-68.5
SK-19-239	10137.0	10382.0	977.2	41.0	141.0	-62.2
SK-19-240	10137.6	10382.9	977.0	41.0	48.5	-69.5
SK-19-241	10137.6	10381.9	977.4	42.0	103.1	-44.7
SK-19-242	10138.9	10357.6	979.2	106.0	21.3	-85.1
SK-19-243	10128.6	10407.0	974.5	38.0	283.2	-60.4
SK-19-244	10129.1	10405.8	973.9	35.0	203.1	-68.5
SK-19-245	9862.2	10891.7	860.3	38.0	130.8	-64.3
SK-19-246	9882.9	10892.3	863.1	34.0	162.0	-67.2
SK-19-247	9884.5	10894.6	863.4	30.0	100.9	-44.6

Notes: All values are un-cut. Drill intercepts are core length as there is insufficient data available to present true widths.