



Eskay Creek Project
Mine grid Drill Hole Locations and Orientations

Hole-ID	Easting (m)	Northing (m)	Elevation (m)	Length (m)	Azimuth (°)	Dip (°)
SK-20-248	9672.7	10683.5	867.6	133.0	117.8	-59.0
SK-20-249	9671.9	10683.7	867.7	133.0	106.9	-61.1
SK-20-250	9665.1	10608.5	890.0	17.0	80.2	-73.1
SK-20-251	9665.1	10608.5	890.0	211.0	88.7	-73.3
SK-20-252	9665.1	10608.5	890.0	160.0	99.0	-61.0
SK-20-253	9665.1	10608.5	890.0	215.0	104.1	-72.4
SK-20-254	9665.1	10608.5	890.0	160.0	103.9	-55.1
SK-20-256	9,701.0	10,997.0	856.9	758.1	86.6	-61.0
SK-20-257	9,620.6	10,901.5	842.3	704.3	89.0	-67.0
SK-20-259	9829.3	10639.7	940.4	182.0	108.0	-71.8
SK-20-260	9828.7	10639.8	940.3	23.0	109.4	-76.6
SK-20-261	9828.6	10640.9	939.8	14.0	104.5	-68.1
SK-20-262	9813.4	10632.5	937.9	174.9	107.0	-64.0
SK-20-263	9813.4	10632.5	937.9	185.0	106.5	-69.4
SK-20-264	9813.4	10632.5	937.9	179.0	107.1	-72.8
SK-20-265	9813.4	10632.5	937.9	179.0	109.9	-60.0
SK-20-266	9813.4	10632.5	937.9	184.0	115.1	-66.0
SK-20-267	9,701.4	10,996.8	830.3	764.0	92.8	-67.4
SK-20-268	9788.9	10641.4	929.1	186.0	84.5	-59.2
SK-20-269	9789.0	10640.2	929.1	164.0	120.6	-74.1
SK-20-270	9788.4	10640.5	929.1	165.0	136.6	-73.4
SK-20-271	9828.7	10639.8	940.3	172.0	108.2	-76.7
SK-20-272	9756.4	10252.4	1010.5	5.0	151.8	-61.8
SK-20-273	9752.4	10253.9	1010.1	154.0	149.7	-74.1
SK-20-274	9815.3	10030.5	1046.9	506.0	90.0	-55.3
SK-20-276	9,809.0	10,565.0	960.3	62.0	92.8	-69.8
SK-20-278	9,809.0	10,566.0	958.9	26.0	112.1	-71.0
SK-20-279	9,809.0	10,565.0	960.0	185.0	91.0	-66.8
SK-20-280	9,809.0	10,566.0	958.8	200.0	87.0	-78.0
SK-20-281	9,809.0	10,566.0	958.6	170.0	89.0	-85.0
SK-20-282	9,809.0	10,566.0	958.3	195.0	89.3	-74.1
SK-20-283	9,787.0	10,602.0	942.1	190.0	106.8	-62.0
SK-20-284	9,787.0	10,602.0	943.6	195.0	107.1	-66.3
SK-20-285	9842.7	10601.0	946.1	168.0	115.8	-69.2
SK-20-286	9828.3	10641.4	939.5	182.0	97.3	-68.2
SK-20-287	9753.2	10252.1	1010.2	13.6	150.2	-62.0
SK-20-288	9752.4	10253.9	1010.1	154.0	150.2	-62.0
SK-20-289	9,701.4	10,996.8	830.3	836.0	75.0	-67.0
SK-20-290	9815.3	10030.5	1046.9	518.0	88.6	-45.4
SK-20-291	9815.3	10030.5	1046.9	350.0	90.1	-64.6
SK-20-292	9,815.3	10,030.5	1,046.9	500.0	89.1	-75.0
SK-20-293	9,701.0	10,997.0	835.1	669.0	92.4	-61.5
SK-20-294	9,620.0	10,901.0	847.8	283.0	92.5	-44.7
SK-20-295	9,620.0	10,901.0	848.0	305.0	80.3	-45.3

Hole-ID	Easting (m)	Northing (m)	Elevation (m)	Length (m)	Azimuth (°)	Dip (°)
SK-20-296	9,700.0	10,422.9	958.3	225.0	105.0	-80.0
SK-20-297	9,700.0	10,423.0	958.0	225.0	104.4	-71.0
SK-20-298	9,699.0	10,422.0	958.0	225.0	103.2	-67.9
SK-20-299	9,699.0	10,422.0	962.2	225.0	103.0	-63.0
SK-20-300	9,699.0	10,422.0	961.8	232.0	103.0	-59.1
SK-20-301	9,699.0	10,422.0	962.0	46.0	96.0	-66.0
SK-20-302	9,699.0	10,422.0	961.2	226.0	96.2	-69.0
SK-20-307	9,700.0	10,422.9	959.0	226.0	98.2	-73.7
SK-20-310	9,700.0	10,423.0	961.7	220.0	90.3	-66.6
SK-20-311	9,699.0	10,422.0	962.0	225.0	81.2	-74.1
SK-20-312	9,686.9	10,377.3	958.3	230.0	90.0	-71.0
SK-20-313	9,687.0	10,377.0	966.5	225.0	91.8	-74.1
SK-20-314	9,687.0	10,377.0	966.8	154.0	91.7	-79.0
SK-20-315	9,687.0	10,377.0	966.2	218.0	103.2	-72.9
SK-20-316	9,687.0	10,377.0	966.2	224.3	105.3	-66.0
SK-20-317	9,687.0	10,377.0	968.4	212.0	115.9	-65.8
SK-20-318	9,687.0	10,377.0	968.2	215.0	134.2	-71.0
SK-20-319	9,687.0	10,377.0	968.2	200.0	125.0	-67.9
SK-20-320	9,687.0	10,377.0	966.4	220.0	97.2	-63.1
SK-20-321	9,712.5	10,627.4	909.2	155.0	105.0	-83.0
SK-20-322	9,713.0	10,627.0	909.0	158.0	104.0	-66.0
SK-20-323	9,713.0	10,627.0	920.4	162.0	104.2	-62.4
SK-20-324	9,713.0	10,627.0	918.1	206.0	134.4	-64.8
SK-20-325	9,712.0	10,627.0	920.1	161.0	140.0	-62.0
SK-20-326	9,713.0	10,627.0	919.1	164.0	133.8	-70.0
SK-20-327	9,713.0	10,627.0	917.9	165.0	127.8	-74.0
SK-20-328	9,713.0	10,627.0	920.0	23.0	111.1	-71.9
SK-20-329	9,712.0	10,627.0	918.0	214.0	128.1	-81.9
SK-20-330	9,713.0	10,627.0	921.2	219.0	147.3	-79.1
SK-20-331	9776.0	10538.0	971.2	240.0	186.1	-69.9
SK-20-332	9,776.0	10,538.0	971.0	238.0	186.1	-73.1
SK-20-333	9,775.0	10,538.0	971.3	236.0	186.0	-76.2
SK-20-334	9,775.0	10,538.0	971.4	248.0	186.1	-79.3
SK-20-335	9776.0	10538.0	970.7	240.0	200.1	-77.3
SK-20-336	9787.0	10602.0	943.1	190.0	109.5	-70.2
SK-20-337	9780.0	10545.0	970.5	210.0	100.2	-65.2
SK-20-338	9780.0	10544.0	968.9	215.0	100.3	-69.1
SK-20-339	9780.0	10544.0	969.0	227.0	100.0	-73.0
SK-20-340	9780.0	10544.0	968.9	210.0	109.2	-66.8
SK-20-341	9780.0	10544.0	969.9	220.0	109.0	-71.1
SK-20-342	9780.0	10544.0	969.5	213.0	91.0	-71.0
SK-20-343	9780.0	10544.0	968.6	210.0	82.3	-65.0
SK-20-344	9780.0	10544.0	968.0	215.0	82.0	-69.0
SK-20-345	9780.0	10544.0	969.1	215.0	82.0	-73.0
SK-20-346	9,787.0	10,602.0	942.5	185.0	97.9	-59.8
SK-20-347	9,787.0	10,602.0	942.0	196.0	96.6	-63.3
SK-20-348	9773.0	10605.0	941.8	182.0	112.1	-68.0
SK-20-349	9773.0	10605.0	942.7	173.0	112.1	-73.0
SK-20-350	9773.0	10605.0	942.4	175.0	99.9	-70.4
SK-20-351	9713.0	10627.0	920.2	156.0	114.0	-73.0
SK-20-352	9,773.0	10,605.0	941.3	190.0	90.0	-65.0

Hole-ID	Easting (m)	Northing (m)	Elevation (m)	Length (m)	Azimuth (°)	Dip (°)
SK-20-353	9,842.0	10,601.0	947.1	168.0	116.0	-69.1
SK-20-355	9,842.0	10,601.0	950.0	170.0	102.4	- 71.2
SK-20-356	9,665.0	10,609.0	893.2	165.0	121.2	- 51.0
SK-20-357	9,664.0	10,608.0	894.5	160.0	116.1	- 57.9
SK-20-358	9,665.0	10,609.0	893.8	204.0	128.0	-73.1
SK-20-359	9,813.0	10,633.0	940.1	189.0	120.3	-69.8
SK-20-360	9700.0	10423.0	963.8	225.0	96.5	-66.0
SK-20-361	9713.0	10627.0	919.4	155.0	104.1	-81.2
SK-20-362	9700.0	10423.0	963.6	220.0	94.0	-62.0
SK-20-363	9700.0	10423.0	961.8	35.0	95.9	-59.0
SK-20-364	9700.0	10423.0	961.8	220.0	96.1	-59.0
SK-20-365	9,755.0	10,528.0	973.3	254.0	38.0	-84.0
SK-20-366	9,755.0	10,528.0	972.7	245.0	26.0	- 81.0
SK-20-367	9,922.0	10,041.0	995.4	133.0	80.7	-81.9
SK-20-368	9,922.0	10,041.0	996.5	140.0	285.5	-82.3
SK-20-369	9,809.0	10,566.0	958.9	183.0	89.0	-70.5
SK-20-370	9,930.0	10,057.0	994.8	148.0	139.9	-89.5
SK-20-371	9,881.0	10,079.0	1,030.2	180.0	139.9	-78.9
SK-20-372	9,864.0	9,954.0	1,022.3	35.0	269.5	-49.9
SK-20-373	9,864.0	9,954.0	1,022.5	23.3	89.5	-75.1
SK-20-374	9,864.0	9,954.0	1,021.2	40.0	329.7	-49.8
SK-20-375	9,864.0	9,954.0	1,021.2	50.0	29.7	-55.1
SK-20-376	9,559.0	8,864.0	1,126.1	100.0	203.0	-50.0
SK-20-377	9,559.0	8,864.0	1,127.1	85.0	245.2	-64.2
SK-20-378	9,559.0	8,864.0	1,126.9	100.0	203.1	-65.1
SK-20-379	9,589.0	8,862.0	1,108.0	59.0	239.9	-89.9
SK-20-380	9,809.0	10,565.0	960.3	180.0	99.2	-68.9
SK-20-381	9,589.0	8,863.0	1,113.4	80.0	23.1	-77.1
SK-20-382	9,589.0	8,862.0	1,113.9	95.0	240.1	-77.2
SK-20-383	9,589.0	8,862.0	1,114.3	90.0	260.2	-64.1
SK-20-384	9,570.5	8,848.2	1,124.8	130.0	205.0	-66.1
SK-20-385	9,571.0	8,848.0	1,125.0	95.0	205.0	-50.0
SK-20-387	9,700.0	10,423.0	962.3	225.0	116.0	-70.9
SK-20-388	9,864.0	9,954.0	1,022.4	40.0	90.7	-75.0
SK-20-389	9,535.3	8,936.9	1,140.7	80.0	228.3	-49.9
SK-20-390	9,535.3	8,936.9	1,140.2	80.0	228.1	-69.9
SK-20-391	9,535.3	8,936.9	1,135.3	90.0	210.2	-57.1
SK-20-392	9,535.0	8,937.0	1,140.5	85.0	350.4	-78.1
SK-20-393	9,775.8	10,252.5	1,015.7	154.0	170.1	-54.1
SK-20-394	9,754.1	10,252.5	1,015.4	149.0	170.3	-60.1
SK-20-395	9,754.0	10,252.0	1,013.7	149.0	165.0	-66.1
SK-20-396	9,754.1	10,252.5	1,015.3	150.0	165.1	-72.2
SK-20-399	9,754.0	10,252.0	1,014.1	150.0	194.0	-77.9
SK-20-400	9,754.0	10,252.0	1,014.4	150.0	196.3	-73.6
SK-20-401	9,754.0	10,252.0	1,015.0	149.0	183.0	-58.9
SK-20-402	9,754.0	10,252.0	1,015.3	150.0	181.8	-69.1
SK-20-403	9,754.1	10,252.5	1,014.4	150.0	245.0	-78.1
SK-20-404	9,575.5	8,828.0	1,121.1	95.0	205.3	-70.0
SK-20-405	9,575.0	8,828.0	1,121.2	90.0	206.0	-86.5
SK-20-406	9,575.0	8,828.0	1,121.2	90.0	145.6	-72.5
SK-20-411	9,740.0	10,301.0	1,015.4	197.0	309.9	-83.0

Hole-ID	Easting (m)	Northing (m)	Elevation (m)	Length (m)	Azimuth (°)	Dip (°)
SK-20-412	9,740.0	10,301.0	1,014.6	198.0	326.6	-80.1
SK-20-413	9,740.0	10,301.0	1,014.4	208.0	335.2	-76.0
SK-20-414	9,589.0	8,862.0	1,112.7	20.2	240.2	-89.8
SK-20-415	9,589.0	8,862.0	1,112.9	90.0	240.0	-89.5
SK-20-416	9,539.0	8,880.0	1,128.4	82.0	190.2	-82.1
SK-20-417	9,539.0	8,880.0	1,128.2	65.0	280.0	-50.1
SK-20-418	9,539.0	8,880.0	1,128.9	70.0	239.6	-60.0
SK-20-419	9,539.0	8,880.0	1,129.6	100.0	193.1	-50.0
SK-20-420	9,871.0	10,117.0	1,035.6	191.0	139.8	-67.9
SK-20-421	9,871.0	10,116.0	1,035.3	191.0	130.0	-65.2
SK-20-422	9,558.0	8,909.0	1,136.9	100.0	355.3	-89.6
SK-20-423	9,558.0	8,909.0	1,136.3	110.0	195.2	-76.1
SK-20-424	9,558.0	8,909.0	1,137.0	105.2	213.2	-68.9
SK-20-426	9,754.1	10,252.5	1,013.6	150.0	173.8	-76.0
SK-20-427	9,622.0	8,733.0	1,085.6	80.0	230.0	-55.0
SK-20-428	9,622.0	8,733.0	1,085.1	85.0	260.3	-56.4
SK-20-429	9,622.0	8,733.0	1,085.6	95.0	197.1	-67.2
SK-20-435	9,555.0	8,931.0	1,137.2	80.0	195.1	-89.8
SK-20-436	9,555.0	8,931.0	1,137.0	79.0	270.0	-69.9
SK-20-437	9,633.0	8,769.0	1,085.2	95.0	238.1	-73.3
SK-20-438	9,633.0	8,769.0	1,085.7	95.0	234.8	-54.9
SK-20-439	9,633.0	8,769.0	1,086.0	115.0	193.1	-66.0
SK-20-440	9,633.0	8,769.0	1,086.0	110.0	211.9	-56.0
SK-20-441	9,633.0	8,769.0	1,086.0	110.0	211.9	-56.0
SK-20-442	9,571.0	8,918.0	1,137.8	100.0	165.4	-75.0
SK-20-444	9,530.0	8,961.0	1,144.1	80.0	247.1	-50.1
SK-20-445	9,530.0	8,961.0	1,143.9	80.0	254.9	-70.0
SK-20-447	9,583.0	8,902.0	1,136.5	120.0	109.1	-70.8
SK-20-448	9,583.0	8,902.0	1,134.4	113.5	215.1	-66.0
SK-20-450	9,649.0	8,744.0	1,080.6	105.0	214.9	-60.2
SK-20-452	9,634.0	8,850.0	1,102.4	105.0	260.0	-55.1
SK-20-454	9,636.0	8,835.0	1,100.9	110.0	229.7	-44.8
SK-20-456	9,594.0	9,099.0	1,129.6	35.0	285.0	-50.1
SK-20-459	9,593.5	9,099.2	1,124.3	13.0	50.0	-70.1
SK-20-460	9,575.0	9,098.8	1,129.6	30.0	270.0	-50.1
SK-20-461	9,580.9	9,084.3	1,128.4	30.0	270.0	-50.2
SK-20-462	9,110.8	6,611.7	1,106.9	131.0	23.5	-45.8
SK-20-463	9,110.8	6,611.7	1,106.9	101.0	110.2	-45.4
SK-20-464	9,110.8	6,611.7	1,106.4	116.0	65.8	-45.2
SK-20-465	9,110.8	6,611.7	1,108.1	78.0	200.5	-45.7
SK-20-466	9,110.8	6,611.7	1,108.1	80.0	149.8	-46.0
SK-20-467	9,110.8	6,611.7	1,106.3	110.0	150.0	-89.4
SK-20-468	9,594.0	9,099.0	1,129.9	35.0	50.3	-70.0
SK-20-469	9,629.9	9,083.9	1,132.1	50.0	231.9	-47.0
SK-20-470	9,634.4	8,850.4	1,102.4	100.0	236.2	-56.9
SK-20-471	9,634.4	8,850.4	1,102.6	105.0	267.0	-64.0
SK-20-472	9,634.4	8,850.4	1,102.2	88.0	285.2	-61.0
SK-20-473	9,632.6	8,796.4	1,089.6	145.0	64.2	-86.1
SK-20-474	9,632.6	8,796.4	1,089.9	140.0	250.1	-76.1
SK-20-475	9,632.6	8,796.4	1,089.7	145.0	248.0	-68.1
SK-20-476	9,648.6	8,743.5	1,082.2	107.3	35.0	-79.2

Hole-ID	Easting (m)	Northing (m)	Elevation (m)	Length (m)	Azimuth (°)	Dip (°)
SK-20-477	9,648.6	8,743.5	1,080.2	120.0	124.9	-74.1
SK-20-478	9,648.6	8,743.5	1,081.9	110.0	177.0	-69.0
SK-20-479	9,648.6	8,743.5	1,081.7	115.0	214.9	-82.9
SK-20-480	9,632.8	8,768.6	1,084.0	115.0	150.1	-80.0
SK-20-481	9,632.8	8,768.6	1,084.4	107.0	320.1	-86.1
SK-20-482	9,838.5	10,514.2	993.9	248.0	202.0	-79.9
SK-20-483	9,838.5	10,514.2	993.9	242.0	202.2	-82.9
SK-20-484	9,838.5	10,514.2	994.7	238.0	202.3	-85.9
SK-20-485	9,838.5	10,514.2	994.3	245.0	257.9	-85.2
SK-20-486	9,838.5	10,514.2	997.5	240.0	257.9	-88.1
SK-20-487	9,877.6	10,535.5	986.7	195.0	43.1	-81.9
SK-20-488	9,877.6	10,535.5	985.1	195.0	61.4	-80.4
SK-20-489	9,877.6	10,535.5	985.6	195.0	80.3	-82.9
SK-20-490	9,877.6	10,535.5	985.1	191.0	80.0	-88.1
SK-20-491	9,877.6	10,535.5	985.6	205.0	85.0	-74.0
SK-20-492	9,877.6	10,535.5	986.3	205.0	85.0	-79.1
SK-20-493	9,877.6	10,535.5	986.8	191.0	135.3	-85.2
SK-20-494	9,877.6	10,535.5	985.6	200.0	134.7	-80.1
SK-20-495	9,877.6	10,535.5	986.8	191.0	160.0	-79.4
SK-20-496	9,877.6	10,535.5	985.8	187.0	260.2	-88.3
SK-20-497	9,757.3	10,703.6	910.6	195.0	78.9	-63.1
SK-20-498	9,636.1	8,835.1	1,100.2	85.0	230.1	-56.1
SK-20-499	9,636.1	8,835.1	1,100.3	80.0	230.2	-72.1
SK-20-500	9,738.1	10,633.7	923.9	237.0	2.2	-85.2
SK-20-501	9,738.1	10,633.7	923.8	175.0	1.9	-80.0
SK-20-502	9,738.1	10,633.7	923.4	175.0	2.1	-75.8
SK-20-503	9,738.1	10,633.7	922.6	175.0	28.7	-80.7
SK-20-504	9,738.1	10,633.7	925.2	18.5	50.1	-78.8
SK-20-505	9,738.1	10,633.7	922.9	170.0	50.0	-85.1
SK-20-506	9,738.1	10,633.7	922.7	175.0	74.1	-81.0
SK-20-507	9,738.1	10,633.7	923.0	233.0	248.3	-89.9
SK-20-508	9,738.1	10,633.7	923.6	156.5	97.1	-85.7
SK-20-509	9,738.1	10,633.7	923.7	227.0	97.1	-81.0
SK-20-510	9,738.1	10,633.7	923.3	170.0	97.2	-76.5
SK-20-511	9,757.3	10,703.6	909.9	195.0	88.2	-63.1
SK-20-512	9,757.3	10,703.6	905.3	190.0	88.2	-58.7
SK-20-513	9,757.3	10,703.6	912.2	198.0	92.0	-69.1
SK-20-514	9,757.3	10,703.6	911.9	190.0	100.0	-62.0
SK-20-515	9,757.3	10,703.6	911.5	198.0	99.9	-70.8
SK-20-516	9,757.3	10,703.6	911.0	195.0	100.3	-74.7
SK-20-517	9,757.3	10,703.6	910.4	195.0	104.2	-68.3
SK-20-518	9,757.3	10,703.6	912.5	190.0	108.3	-65.0
SK-20-519	9,757.3	10,703.6	910.8	195.0	108.1	-73.4
SK-20-520	9,754.1	10,252.5	1,015.1	157.0	100.2	-70.0
SK-20-521	9,754.1	10,252.5	1,015.1	148.0	106.3	-78.0
SK-20-522	9,754.1	10,252.5	1,014.7	158.0	129.2	-62.1
SK-20-523	9,754.1	10,252.5	1,014.6	152.0	130.2	-67.0
SK-20-524	9,754.1	10,252.5	1,015.1	157.0	130.1	-73.2
SK-20-525	9,754.1	10,252.5	1,015.3	161.0	130.3	-78.9
SK-20-526	9,754.1	10,252.5	1,014.2	155.0	140.2	-64.0
SK-20-527	9,754.1	10,252.5	1,014.9	160.0	149.8	-80.4

Hole-ID	Easting (m)	Northing (m)	Elevation (m)	Length (m)	Azimuth (°)	Dip (°)
SK-20-528	9,755.3	10,753.6	893.6	148.0	61.1	-73.1
SK-20-529	9,755.3	10,753.6	894.3	185.0	76.2	-67.0
SK-20-530	9,755.3	10,753.6	892.7	182.0	76.0	-70.1
SK-20-531	9,755.3	10,753.6	896.1	185.0	80.2	-62.0
SK-20-532	9,755.3	10,753.6	898.9	147.0	84.0	-80.2
SK-20-533	9,755.3	10,753.6	892.3	180.0	84.1	-74.0
SK-20-534	9,755.3	10,753.6	892.6	180.5	89.0	-65.0
SK-20-535	9,755.3	10,753.6	893.2	180.0	89.8	-70.5
SK-20-536	9,755.3	10,753.6	892.2	185.0	102.1	-74.1
SK-20-537	9,755.3	10,753.6	895.8	180.4	105.2	-69.0
SK-20-538	9755.3	10753.6	892.2	123.3	112.1	-72.0
SK-20-539	9,755.3	10,753.6	893.5	155.0	120.0	-78.7
SK-20-540	9,755.3	10,753.6	892.7	170.0	120.1	-74.9
SK-20-541	9,797.8	10,458.7	1,002.5	254.0	90.1	-88.1
SK-20-542	9,797.8	10,458.7	1,004.7	176.0	90.5	-83.8
SK-20-543	9,797.8	10,458.7	1,005.3	245.0	173.4	-87.2
SK-20-544	9,797.8	10,458.7	1,005.3	245.0	173.4	-84.0
SK-20-545	9,797.8	10,458.7	1,005.3	242.0	173.2	-81.1
SK-20-546	9,838.8	10,794.7	902.5	125.6	43.2	-72.0
SK-20-547	9,838.8	10,794.7	904.2	125.0	43.0	-77.1
SK-20-548	9,838.8	10,794.7	904.9	123.0	45.0	-50.9
SK-20-549	9,838.8	10,794.7	905.9	120.5	50.0	-55.8
SK-20-550	9,838.8	10,794.7	903.1	120.0	57.6	-67.0
SK-20-551	9,838.8	10,794.7	903.7	121.0	57.9	-60.2
SK-20-552	9,838.8	10,794.7	905.7	121.0	61.0	-55.9
SK-20-553	9809.4	10565.9	956.7	38.0	115.9	-82.1
SK-20-554	9,809.4	10,565.9	959.4	210.5	140.3	-81.0
SK-20-555	9,809.4	10,565.9	959.8	226.0	159.0	-83.0
SK-20-556	9,866.5	10,440.1	1,012.3	176.0	115.0	-77.0
SK-20-557	9,866.5	10,440.1	1,011.8	190.0	115.3	-63.1
SK-20-558	9,866.5	10,440.1	1,011.7	195.0	120.3	-58.9
SK-20-559	9,866.5	10,440.1	1,010.7	171.0	120.1	-70.1
SK-20-560	9,866.5	10,440.1	1,010.3	193.0	125.1	-65.0
SK-20-561	9866.5	10440.1	1012.3	64.0	127.2	-57.0
SK-20-562	9,866.5	10,440.1	1,010.9	171.0	135.8	-73.2
SK-20-563	9,866.5	10,440.1	1,010.7	180.0	136.1	-76.9
SK-20-564	9,866.5	10,440.1	1,010.3	175.0	136.2	-64.1
SK-20-565	9,866.5	10,440.1	1,010.7	190.0	136.3	-58.9
SK-20-566	9,866.5	10,440.1	1,011.2	175.0	145.1	-68.2
SK-20-567	9880.5	10806.0	911.8	85.0	54.1	-72.0
SK-20-568	9880.5	10806.0	913.9	100.0	53.9	-58.0
SK-20-569	9880.5	10806.0	915.7	97.0	61.9	-62.0
SK-20-570	9880.5	10806.0	913.5	97.8	77.0	-57.1
SK-20-571	9,740.2	10,301.5	1,014.2	169.0	345.0	-81.1
SK-20-573	9,809.4	10,565.9	958.1	210.0	115.9	-81.9
SK-20-574	9,755.3	10,753.6	892.6	155.0	120.2	-79.2
SK-20-575	9,761.4	10,289.0	1,018.6	220.0	128.1	-81.0
SK-20-576	9761.4	10289.0	1018.7	58.0	140.0	-85.1
SK-20-577	9761.4	10289.0	1014.2	4.0	144.9	-81.1
SK-20-578	9,761.4	10,289.0	1,019.2	220.0	180.1	-88.0
SK-20-579	9,761.4	10,289.0	1,019.5	215.0	180.1	-84.0

Hole-ID	Easting (m)	Northing (m)	Elevation (m)	Length (m)	Azimuth (°)	Dip (°)
SK-20-580	9,761.4	10,289.0	1,019.0	215.0	210.1	- 84.0
SK-20-581	9886.9	10361.8	1013.5	20.0	102.2	-66.3
SK-20-582	9,755.3	10,753.6	891.9	185.0	111.9	-71.8
SK-20-583	9,886.9	10,361.8	1,013.5	149.0	102.0	-72.4
SK-20-584	9,886.9	10,361.8	1,013.5	135.0	150.0	-75.8
SK-20-585	9886.9	10361.8	1013.4	135.0	149.9	-68.1
SK-20-586	9797.8	10458.7	1004.0	242.0	90.2	-84.3
SK-20-587	9738.1	10633.7	925.3	152.0	50.0	-79.0
SK-20-588	9740.2	10301.5	1013.8	186.0	4.7	-77.6
SK-20-589	9740.2	10301.5	1014.3	200.0	345.0	-81.0
SK-20-590	9889.1	10558.3	971.4	191.0	14.9	-75.9
SK-20-591	9889.1	10558.3	971.5	188.0	30.0	-75.8
SK-20-592	9889.1	10558.3	972.3	183.1	48.1	-77.1
SK-20-593	9889.1	10558.3	972.2	180.0	52.4	-82.0
SK-20-594	9889.1	10558.3	970.0	190.0	71.2	-69.3
SK-20-595	9889.1	10558.3	969.2	200.0	71.3	-74.5
SK-20-596	9889.1	10558.3	969.3	185.0	79.9	-81.2
SK-20-597	9889.1	10558.3	972.1	185.0	82.7	-72.6
SK-20-598	9889.1	10558.3	971.8	176.0	82.2	-67.0
SK-20-599	9889.1	10558.3	972.5	195.0	95.0	-74.9
SK-20-600	9866.5	10440.1	1011.2	73.0	127.0	-57.4
SK-20-601	9866.5	10440.1	1010.6	14.0	127.4	-56.9
SK-20-602	9755.3	10753.6	893.4	175.0	37.0	-77.1
SK-20-603	9755.3	10753.6	892.5	200.0	40.8	-74.9
SK-20-604	9755.3	10753.6	883.7	40.0	55.1	-76.2
SK-20-605	9755.3	10753.6	892.6	165.0	59.2	-67.3
SK-20-606	9866.5	10440.1	1010.5	195.0	128.1	-57.2
SK-20-607	9923.3	10471.9	996.1	155.0	95.1	-78.9
SK-20-608	9923.3	10471.9	997.2	155.0	123.6	-74.0
SK-20-609	9923.3	10471.9	998.2	180.0	144.8	-82.0
SK-20-610	9,712.5	10,627.4	916.9	165.0	95.2	-75.2
SK-20-611	9,712.5	10,627.4	920.1	165.0	95.2	-69.9
SK-20-612	9,712.5	10,627.4	920.0	165.0	95.2	-64.1
SK-20-613	9712.5	10627.4	918.7	158.0	108.2	-70.2
SK-20-614	9755.9	10661.4	910.9	200.0	86.1	-68.0
SK-20-615	9755.9	10661.4	913.5	28.0	85.7	-72.5
SK-20-616	9755.9	10661.4	912.9	188.0	90.0	-62.0
SK-20-617	9755.9	10661.4	911.8	180.0	98.0	-65.0
SK-20-618	9755.9	10661.4	915.6	185.0	99.9	-60.0
SK-20-619	9755.9	10661.4	913.5	13.0	98.0	-52.0
SK-20-620	9755.9	10661.4	912.3	200.0	98.2	-69.2
SK-20-621	9755.9	10661.4	912.6	190.0	102.2	-55.8
SK-20-622	9755.9	10661.4	913.1	195.0	106.1	-51.7
SK-20-623	9755.9	10661.4	911.9	201.0	110.1	-69.0
SK-20-624	9855.7	10366.1	1008.0	26.0	242.3	-78.2
SK-20-625	9855.7	10366.1	1012.8	242.0	242.3	-74.0
SK-20-626	9855.7	10366.1	1012.7	250.0	242.1	-70.1
SK-20-627	9855.7	10366.1	1013.1	250.0	251.9	-69.8
SK-20-628	9,855.7	10,366.1	1,013.4	240.5	253.0	-76.0
SK-20-629	9,989.5	10,785.3	909.7	65.0	167.2	-81.1
SK-20-630	9992.4	10785.0	909.7	65.0	167.2	-72.1

Hole-ID	Easting (m)	Northing (m)	Elevation (m)	Length (m)	Azimuth (°)	Dip (°)
SK-20-631	9,989.5	10,785.3	909.2	75.0	167.2	-65.0
SK-20-632	9,989.5	10,785.3	909.8	65.0	199.9	-69.0
SK-20-633	9,989.5	10,785.3	910.1	65.0	262.3	-67.2
SK-20-634	9,989.5	10,785.3	910.6	60.0	262.0	-83.1
SK-20-635	9,738.1	10,633.7	923.6	232.0	96.9	-86.0
SK-20-636	9,886.9	10,361.8	1,013.2	145.0	102.6	-66.2
SK-20-638	9,755.9	10,661.4	912.8	200.0	100.3	-52.0
SK-20-639	9,863.7	10,654.5	941.9	181.0	260.8	-89.3
SK-20-640	9,863.7	10,654.5	941.5	183.0	345.2	-81.4
SK-20-641	9,822.3	9,800.8	1,057.3	150.0	250.2	-44.9
SK-20-642	9,822.3	9,800.8	1,057.3	151.0	219.8	-44.8
SK-20-643	9,863.7	10,654.5	943.0	181.0	345.5	-84.7
SK-20-644	9,990.9	10,770.0	911.4	71.0	192.2	-81.2
SK-21-645	9937.5	10746.6	908.7	53.0	146.1	-65.0
SK-21-646	9955.1	10760.4	899.7	50.0	355.1	-83.0
SK-20-647	9,822.3	9,800.8	1,057.4	152.0	219.8	-60.1
SK-21-648	9950.9	10760.9	899.4	55.0	335.3	-74.0
SK-20-649	9,936.2	10,780.2	897.1	55.0	75.4	-65.0
SK-20-650	10,062.4	10,428.1	966.9	65.0	30.1	-62.2
SK-20-651	10,062.4	10,428.1	965.0	55.0	30.1	-79.9
SK-20-652	10,107.0	10,363.0	978.4	105.0	110.1	-67.2
SK-20-653	10,107.0	10,363.0	976.9	75.0	122.8	-57.0
SK-20-654	10,107.0	10,363.0	981.6	120.0	138.1	-65.1
SK-20-655	10,107.0	10,363.0	979.9	115.0	165.1	-81.7
SK-20-656	9,855.7	10,366.1	1,012.4	227.0	241.8	-78.2
SK-20-657	9,990.9	10,770.0	912.1	68.0	192.0	-65.3
SK-20-658	9,990.9	10,770.0	912.6	65.0	223.0	-71.1
SK-20-659	9,990.9	10,770.0	911.4	65.0	272.2	-66.1
SK-20-660	9861.5	10482.4	996.9	18.0	109.9	-76.9
SK-20-661	9,861.5	10,482.4	1,001.6	200.0	114.2	-72.0
SK-20-662	9,861.5	10,482.4	996.9	180.0	141.2	-78.0
SK-20-663	9,814.6	10,876.0	849.3	170.0	177.0	-66.2
SK-20-664	9,814.6	10,876.0	849.3	172.0	182.1	-75.3
SK-20-665	9,814.6	10,876.0	849.3	167.0	182.9	-62.2
SK-20-666	9,814.6	10,876.0	849.3	174.0	186.0	-71.0
SK-20-667	9,814.6	10,876.0	849.3	178.0	191.1	-64.0
SK-20-668	9,814.6	10,876.0	849.3	175.0	192.0	-69.9
SK-20-669	9,814.6	10,876.0	849.3	176.0	192.8	-73.9
SK-20-670	9,814.6	10,876.0	849.3	177.0	194.9	-60.0
SK-20-671	9812.5	10876.0	845.6	178.0	197.1	-66.9
SK-20-672	9,814.6	10,876.0	849.3	161.0	207.5	-76.9
SK-20-673	9,814.6	10,876.0	849.3	162.0	207.2	-50.1
SK-20-674	9812.3	10874.1	844.7	160.0	214.0	-50.9
SK-20-675	9,814.6	10,876.0	849.3	148.0	220.7	-65.0
SK-20-676	9,814.6	10,876.0	849.3	159.0	223.0	-69.9
SK-21-677	9812.6	10875.2	845.6	147.0	235.4	-82.7
SK-21-678	9812.3	10875.3	845.5	148.0	235.5	-73.2
SK-21-679	9812.3	10875.1	845.3	150.0	235.1	-77.2
SK-20-680	9718.4	10727.0	881.1	189.2	91.9	-59.0
SK-20-681	9,718.0	10,727.4	881.4	190.0	91.2	-55.1
SK-20-682	9718.0	10727.4	876.5	31.0	89.7	-50.9

Hole-ID	Easting (m)	Northing (m)	Elevation (m)	Length (m)	Azimuth (°)	Dip (°)
SK-20-683	9,718.0	10,727.4	881.5	193.0	96.0	-57.0
SK-20-684	9,718.0	10,727.4	881.8	195.0	96.1	-53.1
SK-20-685	9718.0	10727.4	883.6	94.0	96.0	-50.0
SK-20-686	9,718.0	10,727.4	884.6	195.0	96.0	-60.9
SK-20-687	9,718.0	10,727.4	886.3	155.8	102.0	-59.0
SK-20-688	9,718.0	10,727.4	885.5	155.5	110.1	-63.2
SK-20-689	10,130.6	10,362.1	976.7	112.0	250.1	-82.9
SK-20-690	10129.5	10361.8	976.5	115.0	270.3	-75.0
SK-20-691	9678.0	10719.4	857.5	225.0	89.0	-64.3
SK-20-692	9718.0	10727.4	876.5	102.6	114.0	-72.0
SK-20-693	9677.7	10719.6	857.9	230.0	96.9	-65.8
SK-20-694	9677.4	10719.9	858.7	230.0	97.4	-61.9
SK-20-695	9675.2	10721.4	858.4	152.0	104.0	-59.9
SK-20-696	9677.1	10720.5	860.4	230.0	103.9	-64.0
SK-20-697	9675.2	10721.4	858.4	26.0	104.3	-68.2
SK-20-698	9717.6	10728.0	885.2	148.3	130.3	-69.2
SK-20-699	9717.4	10728.1	887.1	140.0	137.1	-74.0
SK-20-700	9677.0	10720.5	858.8	220.0	110.0	-58.0
SK-21-701	9677.1	10720.5	859.3	89.0	112.1	-65.9
SK-21-702	9652.7	10660.7	868.3	265.0	67.4	-66.0
SK-20-704	9880.8	10675.7	937.6	160.0	77.1	-74.9
SK-20-705	9881.1	10675.2	931.9	160.0	82.0	-80.0
SK-20-706	9879.6	10676.2	940.1	175.0	115.1	-84.0
SK-20-707	9880.7	10674.7	937.8	175.0	115.3	-78.1
SK-20-708	9880.9	10675.0	938.3	195.0	115.1	-70.0
SK-20-709	9879.9	10676.2	940.7	188.0	127.0	-67.1
SK-20-710	9880.8	10674.8	938.2	178.0	131.0	-73.0
SK-20-711	9880.8	10674.9	937.8	185.0	131.0	-61.9
SK-20-712	9880.6	10674.7	937.7	175.0	140.1	-69.0
SK-20-713	10016.8	10778.4	915.6	75.0	280.1	-69.9
SK-20-714	9753.0	10661.0	912.9	207.0	86.0	-72.1
SK-21-715	9955.2	10729.9	910.5	55.0	345.0	-79.0
SK-20-716	9955.9	10729.6	910.3	61.0	65.0	-74.0
SK-20-717	9758.2	10746.3	891.1	148.0	51.8	-86.0
SK-20-718	9757.5	10746.4	894.6	155.0	138.3	-79.9
SK-20-719	9756.8	10746.1	893.1	160.0	134.0	-75.0
SK-20-720	9757.6	10745.1	893.2	160.0	150.0	-76.0
SK-20-721	9757.2	10745.9	894.0	152.0	170.1	-83.0
SK-20-722	9756.8	10745.3	894.1	152.0	180.0	-78.1
SK-20-723	10080.4	10292.6	967.7	50.0	42.9	-74.9
SK-20-724	10078.3	10295.9	974.3	46.0	260.1	-82.1
SK-20-725	9718.0	10727.4	876.5	31.0	90.1	-51.2
SK-20-726	9718.4	10727.2	882.0	190.0	92.4	-51.0
SK-20-727	10142.3	10496.9	961.2	153.0	265.8	-71.0
SK-20-728	10142.8	10495.8	963.5	150.0	250.2	-70.1
SK-20-729	9755.3	10753.6	883.7	160.0	57.3	-76.9
SK-20-730	9880.2	10677.4	934.9	16.0	118.5	-88.2
SK-20-731	9952.1	10791.4	891.5	45.0	50.0	-81.0
SK-20-732	9947.0	10815.8	884.2	45.0	100.2	-85.2
SK-21-733	9926.2	10850.0	873.2	61.0	175.0	-78.1
SK-21-734	9926.2	10850.2	873.8	53.0	224.9	-64.0

Hole-ID	Easting (m)	Northing (m)	Elevation (m)	Length (m)	Azimuth (°)	Dip (°)
SK-20-735	9762.7	10287.7	1019.7	220.0	145.1	-81.0
SK-20-736	10102.9	10643.3	929.6	75.0	90.0	-77.0
SK-20-737	10099.1	10641.9	928.9	115.0	270.2	-57.1
SK-20-738	10099.4	10642.7	929.9	150.0	269.9	-75.0
SK-20-739	10099.3	10642.8	930.8	56.0	269.9	-69.0
SK-20-740	10099.1	10641.2	930.5	120.0	270.0	-63.1
SK-20-741	10099.9	10642.9	930.6	160.0	269.8	-80.3
SK-20-742	10105.3	10305.4	974.4	103.0	134.9	-84.2
SK-20-743	10082.5	10602.1	931.2	100.0	270.4	-79.4
SK-20-744	10082.2	10602.5	932.3	97.0	270.1	-71.2
SK-20-745	10084.7	10612.9	933.5	120.0	270.2	-75.1
SK-20-746	10084.4	10613.4	933.6	94.0	270.2	-61.0
SK-20-747	10117.4	10303.3	973.3	30.0	187.5	-89.5
SK-20-748	9762.6	10287.6	1019.0	222.0	139.8	-85.6
SK-20-749	10112.2	10316.7	976.0	111.0	108.5	-89.8
SK-20-750	10112.6	10316.7	976.0	65.0	28.2	-80.0
SK-20-751	10112.1	10319.0	974.9	60.0	86.9	-75.1
SK-20-752	10112.6	10316.4	976.0	103.0	134.8	-80.1
SK-20-753	9880.2	10675.0	930.4	178.0	333.8	-89.5
SK-20-754	9862.3	10483.1	1002.4	195.4	110.0	-77.1
SK-20-755	10099.3	10642.8	930.6	59.7	270.3	-69.2
SK-20-756	9677.4	10720.5	860.0	230.0	103.9	-60.1
SK-20-757	10099.0	10642.0	930.9	130.0	270.0	-69.0
SK-20-758	9718.0	10727.4	884.8	37.0	95.0	-50.0
SK-20-759	9999.3	10666.7	937.0	92.7	140.0	-71.0
SK-20-760	9999.1	10666.8	936.9	85.0	196.2	-83.1
SK-20-761	10109.3	10649.7	930.5	130.0	270.0	-62.1
SK-20-762	10108.5	10650.3	930.9	125.0	270.0	-55.0
SK-20-763	10109.1	10649.5	931.0	140.0	270.1	-68.0
SK-20-764	10098.9	10642.3	930.5	116.0	276.9	-45.1
SK-20-765	9717.6	10728.8	884.1	190.0	94.1	-49.0
SK-20-766	10110.4	10327.8	970.5	75.0	74.6	-89.8
SK-20-767	10133.2	10449.5	966.3	120.0	223.2	-70.3
SK-20-768	10133.6	10449.0	966.3	105.0	238.8	-60.0
SK-20-769	10134.4	10449.1	966.4	125.0	245.8	-77.0
SK-20-770	10010.9	10715.5	927.5	73.0	265.8	-75.0
SK-20-771	10009.3	10717.1	930.6	83.0	289.9	-56.9
SK-20-772	10010.5	10716.0	927.9	78.0	303.1	-68.1
SK-20-773	10010.1	10716.9	929.6	85.0	302.7	-57.0
SK-20-774	9865.4	10657.0	946.5	190.0	124.6	-54.7
SK-20-775	9866.3	10656.2	947.5	191.0	132.3	-57.1
SK-20-776	10154.1	10573.1	943.4	150.0	229.2	-52.1
SK-20-777	10155.0	10573.7	945.0	150.0	235.8	-50.0
SK-20-778	10154.4	10573.6	943.8	155.0	237.9	-55.1
SK-20-779	9675.2	10721.4	858.4	80.0	104.5	-68.2
SK-20-780	9717.7	10728.4	887.0	150.5	114.1	-72.0
SK-20-781	9962.6	10708.0	915.8	58.0	80.0	-80.1
SK-20-782	9962.6	10708.0	915.8	63.0	94.9	-66.0
SK-20-783	9962.4	10704.9	921.6	60.0	294.9	-68.0
SK-20-784	9963.1	10705.6	920.7	56.0	312.9	-79.0
SK-20-785	9675.2	10721.4	858.4	60.0	104.4	-69.5

Hole-ID	Easting (m)	Northing (m)	Elevation (m)	Length (m)	Azimuth (°)	Dip (°)
SK-20-786	9986.9	10792.7	906.0	63.0	263.9	-85.0
SK-20-787	9984.1	10793.7	908.8	63.0	264.2	-68.0
SK-20-788	9675.2	10721.4	858.4	230.0	104.9	-69.5
SK-21-789	10042.5	10665.9	928.1	100.0	260.1	-60.0
SK-21-790	10042.8	10666.1	928.3	93.0	285.0	-74.2
SK-21-791	10082.9	10623.3	930.8	115.0	269.8	-73.0
SK-21-792	10083.0	10623.4	931.6	120.0	270.2	-79.1
SK-20-793	10098.3	10633.9	925.6	111.0	270.0	-54.0
SK-20-794	10098.3	10634.8	926.7	115.0	270.3	-61.0
SK-21-794	10097.0	10633.0	927.0	115.0	270.3	-61.0
SK-21-795	10098.5	10634.7	926.4	125.0	270.2	-69.9
SK-21-796	10098.7	10634.2	926.1	189.0	270.1	-76.0
SK-21-797	9893.4	10846.7	856.4	45.0	186.1	-89.3
SK-21-798	9874.2	10856.8	852.0	60.0	62.9	-89.1
SK-21-799	9880.1	10856.8	853.1	65.0	180.2	-71.9
SK-21-800	9879.6	10857.2	853.1	75.0	208.8	-67.1
SK-21-801	9874.1	10857.1	851.8	65.0	345.5	-75.0
SK-21-802	9918.6	10868.0	866.5	47.0	335.2	-81.9
SK-21-803	9918.5	10865.3	865.0	55.0	170.9	-75.1
SK-21-804	9910.2	10886.9	868.9	55.0	13.6	-80.9
SK-21-805	9911.2	10886.7	869.2	62.0	65.0	-75.0
SK-21-806	9936.1	10906.1	880.3	74.0	250.0	-72.9
SK-20-807	9936.6	10908.4	880.4	75.0	300.2	-72.9
SK-21-815	9677.2	10720.7	859.7	230.0	112.0	-66.1
SK-21-816	9672.9	10684.1	864.9	261.0	89.9	-74.1