



Eskay Creek Project 2021 Albino Drilling Campaign Length Weighted Drill Hole Gold Composites

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)	Hg (ppm)	Sb (ppm)	As (ppm)
SK-21-841	2.33	3.85	1.52	4.41	131	6.16	67	842	284
SK-21-841	3.85	7.70	3.85	3.40	153	5.44	60	3,610	304
SK-21-841	7.70	9.22	1.52	3.66	170	5.93	60	3,620	289
SK-21-841	9.22	10.74	1.52	5.38	253	8.75	60	3,970	302
SK-21-841	10.74	12.26	1.52	2.58	93	3.82	23	1,260	259
SK-21-841	12.26	13.78	1.52	6.58	321	10.86	90	5,420	383
SK-21-841	13.78	15.30	1.52	2.67	62	3.50	13	280	260
SK-21-841	15.30	16.82	1.52	4.30	98	5.61	28	468	286
SK-21-841	16.82	18.34	1.52	5.77	169	8.02	40	733	282
Composite	2.33	18.34	16.01	4.17	160	6.31	51	2,443	296
SK-21-842	4.63	6.15	1.52	3.69	166	5.90	20	507	257
SK-21-842	6.15	7.67	1.52	3.45	145	5.38	24	523	385
SK-21-842	7.67	9.19	1.52	4.38	300	8.38	44	908	423
SK-21-842	9.19	10.71	1.52	5.45	241	8.66	43	840	361
SK-21-842	10.71	12.23	1.52	4.73	225	7.73	45	835	334
SK-21-842	12.23	13.75	1.52	3.83	128	5.54	34	611	270
SK-21-842	13.75	15.27	1.52	1.30	52	1.99	11	190	97
SK-21-842	15.27	16.79	1.52	6.64	263	10.15	48	876	174
Composite	4.63	16.79	12.16	4.18	190	6.72	34	661	288
SK-21-843	3.04	6.08	3.04	2.23	104	3.62	23	524	341
SK-21-843	6.08	7.60	1.52	4.82	304	8.87	53	1,635	462
SK-21-843	7.60	9.12	1.52	3.79	269	7.38	39	821	408
SK-21-843	9.12	10.64	1.52	11.75	403	17.12	62	4,770	470
SK-21-843	10.64	12.16	1.52	7.86	593	15.77	87	2,180	679
SK-21-843	12.16	13.68	1.52	5.31	299	9.30	59	1,430	574
SK-21-843	13.68	15.20	1.52	8.37	371	13.32	99	2,400	784
SK-21-843	15.20	16.72	1.52	4.18	159	6.30	51	1,205	325
SK-21-843	16.72	18.24	1.52	2.71	111	4.19	35	735	219
SK-21-843	18.24	19.76	1.52	2.56	97	3.85	35	654	171
SK-21-843	19.76	21.28	1.52	2.65	98	3.95	32	719	210
SK-21-843	21.28	22.80	1.52	1.03	35	1.50	15	280	155
SK-21-843	22.80	24.32	1.52	1.14	56	1.89	23	501	160
SK-21-843	24.32	25.84	1.52	1.76	64	2.61	17	639	185
Composite	3.04	25.84	22.80	4.16	204	6.89	44	1,268	366
SK-21-844	1.95	4.99	3.04	2.12	62	2.94	11	244	161
SK-21-844	4.99	6.51	1.52	2.07	76	3.08	12	309	186
SK-21-844	6.51	8.03	1.52	4.74	66	5.62	15	350	291
SK-21-844	8.03	9.55	1.52	3.39	99	4.71	17	445	398
SK-21-844	9.55	11.07	1.52	2.98	137	4.81	23	593	263
SK-21-844	11.07	12.59	1.52	4.06	186	6.54	26	735	260
SK-21-844	12.59	14.11	1.52	3.49	135	5.29	40	679	326
SK-21-844	14.11	15.63	1.52	3.27	97	4.56	31	642	476

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)	Hg (ppm)	Sb (ppm)	As (ppm)
SK-21-844	15.63	17.15	1.52	3.57	204	6.29	26	713	396
SK-21-844	17.15	18.67	1.52	3.16	224	6.15	27	760	455
SK-21-844	18.67	20.19	1.52	5.13	271	8.74	41	925	539
SK-21-844	20.19	21.71	1.52	0.55	35	1.02	7	132	69
Composite	1.95	21.71	19.76	3.13	127	4.82	22	521	306
SK-21-845	2.94	5.98	3.04	2.00	59	2.78	14	136	245
SK-21-845	5.98	7.50	1.52	2.26	76	3.27	12	157	262
SK-21-845	7.50	9.02	1.52	2.30	71	3.24	11	206	270
SK-21-845	9.02	10.54	1.52	2.93	133	4.70	19	231	462
SK-21-845	10.54	12.06	1.52	2.06	69	2.98	11	177	245
SK-21-845	12.06	13.58	1.52	9.02	254	12.41	46	626	1,870
SK-21-845	13.58	15.10	1.52	4.56	75	5.56	26	271	471
SK-21-845	15.10	16.62	1.52	6.41	209	9.20	54	274	986
SK-21-845	16.62	18.14	1.52	6.16	295	10.09	87	237	1,695
Composite	2.94	18.14	15.20	3.97	130	5.70	29	245	675
SK-21-846	5.96	7.48	1.52	2.00	42	2.56	11	146	345
SK-21-846	7.48	9.00	1.52	2.22	55	2.95	11	169	242
SK-21-846	9.00	10.52	1.52	4.93	202	7.62	32	235	679
SK-21-846	10.52	13.56	3.04	2.52	84	3.64	10	222	259
SK-21-846	13.56	15.08	1.52	4.60	130	6.33	20	506	429
SK-21-846	15.08	16.60	1.52	36.70	1,575	57.70	94	652	2,740
SK-21-846	16.60	18.12	1.52	5.62	164	7.81	56	206	926
SK-21-846	18.12	19.64	1.52	17.05	637	25.54	181	292	3,130
Composite	5.96	19.64	13.68	8.68	330	13.09	47	294	1,001
SK-21-847	2.67	7.23	4.56	1.71	51	2.39	16	367	337
SK-21-847	7.23	8.75	1.52	3.37	110	4.84	38	344	646
SK-21-847	8.75	10.27	1.52	5.81	239	9.00	79	379	1,175
SK-21-847	10.27	11.79	1.52	2.46	73	3.44	21	245	364
SK-21-847	11.79	13.31	1.52	2.65	70	3.58	17	341	308
SK-21-847	13.31	14.83	1.52	5.51	241	8.72	46	471	881
SK-21-847	14.83	16.86	2.03	3.62	144	5.54	39	246	509
Composite	2.67	16.86	14.19	3.19	115	4.73	32	344	543
SK-21-848	2.10	5.14	3.04	3.76	54	4.47	13	239	298
SK-21-848	5.14	6.66	1.52	2.02	57	2.79	11	172	303
SK-21-848	6.66	8.18	1.52	1.39	38	1.90	11	162	199
SK-21-848	8.18	9.70	1.52	3.65	97	4.94	26	206	708
SK-21-848	9.70	11.22	1.52	1.87	45	2.47	14	188	308
SK-21-848	11.22	12.74	1.52	2.92	103	4.29	34	157	767
SK-21-848	12.74	14.26	1.52	1.63	98	2.94	22	235	439
SK-21-848	14.26	15.78	1.52	2.86	130	4.59	29	312	657
SK-21-848	15.78	17.30	1.52	2.49	94	3.74	29	311	827
SK-21-848	17.30	18.82	1.52	1.49	41	2.04	12	216	334
SK-21-848	18.82	20.34	1.52	2.96	92	4.18	29	296	682
SK-21-848	20.34	21.86	1.52	3.21	165	5.41	34	183	1,140
Composite	2.10	21.86	19.76	2.62	82	3.71	21	224	535
SK-21-899	3.35	9.45	6.10	3.62	88.0	4.79	29	184	389
SK-21-899	9.45	12.50	3.05	3.28	190.0	5.81	25	338	629
SK-21-899	12.50	15.54	3.04	4.50	239.0	7.69	37	278	989
SK-21-899	15.54	17.07	1.53	13.80	1040.0	27.67	111	508	3,440
SK-21-899	17.07	18.59	1.52	10.30	575.0	17.97	154	514	3,460
SK-21-899	18.59	20.12	1.53	10.75	663.0	19.59	195	506	4,290
Composite	3.35	20.12	16.77	5.90	317.4	10.13	64	318	1,454
SK-21-900	2.74	6.71	3.97	0.10	4.0	0.15	3	15	41
Composite	2.74	6.71	3.97	0.10	4.0	0.15	3	15	41
SK-21-901	2.74	5.79	3.05	1.54	59.2	2.33	22	203	438

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)	Hg (ppm)	Sb (ppm)	As (ppm)
SK-21-901	5.79	7.32	1.53	2.79	75.9	3.80	30	308	642
SK-21-901	7.32	8.84	1.52	4.09	160.0	6.22	44	418	1,085
SK-21-901	8.84	10.36	1.52	6.14	268.0	9.71	66	316	1,680
SK-21-901	10.36	11.89	1.53	5.13	278.0	8.84	82	291	2,530
SK-21-901	11.89	13.41	1.52	10.40	315.0	14.60	132	670	3,420
SK-21-901	13.41	14.94	1.53	4.67	128.0	6.38	40	466	1,725
Composite	2.74	14.94	12.20	4.53	167.8	6.77	55	359	1,494
SK-21-902	3.05	6.10	3.05	3.00	91.0	4.21	21	366	464
SK-21-902	6.10	7.62	1.52	2.44	61.8	3.26	19	270	347
SK-21-902	7.62	9.14	1.52	3.48	122.0	5.11	41	325	752
SK-21-902	9.14	10.67	1.53	3.07	137.0	4.90	34	177	1,055
Composite	3.05	10.67	7.62	3.00	100.6	4.34	27	301	617
SK-21-903	3.35	6.40	3.05	11.80	492.0	18.36	56	320	662
SK-21-903	6.40	7.92	1.52	7.60	322.0	11.89	47	305	776
SK-21-903	7.92	9.45	1.53	4.50	114.0	6.02	23	358	611
SK-21-903	9.45	10.97	1.52	2.55	94.5	3.81	23	369	451
SK-21-903	10.97	12.50	1.53	4.50	135.0	6.30	44	466	597
SK-21-903	12.50	14.02	1.52	4.86	163.0	7.03	207	308	633
SK-21-903	14.02	15.54	1.52	4.26	166.0	6.47	46	320	507
SK-21-903	15.54	17.07	1.53	0.72	22.3	1.02	6	68	104
Composite	3.35	17.07	13.72	5.84	222.2	8.80	56	315	556
SK-21-904	2.44	5.49	3.05	2.34	83.8	3.46	25	316	435
SK-21-904	5.49	7.01	1.52	3.90	162.0	6.06	39	349	820
SK-21-904	7.01	8.53	1.52	3.78	150.0	5.78	33	290	646
SK-21-904	8.53	10.06	1.53	2.96	150.0	4.96	26	236	682
SK-21-904	10.06	11.58	1.52	3.51	160.0	5.64	28	230	821
SK-21-904	11.58	13.11	1.53	5.68	172.0	7.97	29	297	824
SK-21-904	13.11	14.63	1.52	6.33	247.0	9.62	56	370	3,700
SK-21-904	14.63	16.15	1.52	0.46	18.4	0.71	6	40	789
Composite	2.44	16.15	13.71	3.48	136.3	5.30	30	272	1,016
SK-21-905	3.35	6.40	3.05	4.93	87.0	6.09	18	199	293
SK-21-905	6.40	7.92	1.52	1.75	38.9	2.27	10	95	182
Composite	3.35	7.92	4.57	3.87	71.0	4.82	15	164	256
SK-21-906	5.49	8.53	3.04	3.50	122.0	5.13	48	485	859
SK-21-906	8.53	10.06	1.53	2.70	104.0	4.09	40	507	544
SK-21-906	10.06	11.58	1.52	3.93	138.0	5.77	54	383	857
SK-21-906	11.58	13.11	1.53	3.26	119.0	4.85	38	461	683
SK-21-906	13.11	14.63	1.52	3.91	132.0	5.67	49	784	766
SK-21-906	14.63	16.15	1.52	3.39	99.0	4.71	37	672	422
SK-21-906	16.15	17.68	1.53	5.27	154.0	7.32	73	1115	753
SK-21-906	17.68	19.20	1.52	1.39	56.0	2.14	20	170	310
Composite	5.49	19.20	13.71	3.43	116.2	4.98	45	563	673
SK-21-907	3.05	6.10	3.05	2.57	101.0	3.92	28	239	986
SK-21-907	6.10	7.62	1.52	0.83	36.9	1.32	11	30	183
Composite	3.05	7.62	4.57	1.99	79.7	3.06	22	169	719
SK-21-908	2.74	4.27	1.53	2.77	97.0	4.06	44	241	636
SK-21-908	4.27	5.79	1.52	4.50	157.0	6.59	72	355	771
SK-21-908	5.79	7.32	1.53	4.08	223.0	7.05	53	418	840
SK-21-908	7.32	8.84	1.52	4.39	207.0	7.15	38	571	947
SK-21-908	8.84	10.36	1.52	3.53	199.0	6.18	61	465	900
SK-21-908	10.36	11.89	1.53	2.66	112.0	4.15	61	533	604
SK-21-908	11.89	13.41	1.52	3.66	160.0	5.79	46	654	787
SK-21-908	13.41	14.94	1.53	4.35	239.0	7.54	63	301	972
SK-21-908	14.94	16.46	1.52	3.74	124.0	5.39	41	314	554
SK-21-908	16.46	17.98	1.52	3.36	157.0	5.45	56	352	667

Hole-ID	From (m)	To (m)	Sample Length (m)	Au (g/t)	Ag (g/t)	AuEq (g/t)	Hg (ppm)	Sb (ppm)	As (ppm)
SK-21-908	17.98	19.51	1.53	0.30	40.8	0.84	4	44	101
Composite	2.74	19.51	16.77	3.39	155.9	5.47	49	386	707
SK-21-909	3.05	6.10	3.05	2.84	197.0	5.47	24	370	578
SK-21-909	6.10	7.62	1.52	4.08	238.0	7.25	108	534	1,355
SK-21-909	7.62	9.14	1.52	5.16	188.0	7.67	62	549	2,200
SK-21-909	9.14	10.67	1.53	3.92	177.0	6.28	44	613	1,430
SK-21-909	10.67	12.19	1.52	4.21	166.0	6.42	41	623	1,090
SK-21-909	12.19	13.72	1.53	2.52	109.0	3.97	34	596	1,455
SK-21-909	13.72	15.24	1.52	3.46	111.0	4.94	31	489	639
SK-21-909	15.24	16.76	1.52	4.91	128.0	6.62	84	636	1,025
SK-21-909	16.76	18.29	1.53	4.05	84.1	5.17	35	660	581
SK-21-909	18.29	19.81	1.52	3.37	64.0	4.22	23	405	317
Composite	3.05	19.81	16.76	3.76	150.8	5.77	46	531	1,023
SK-21-910	2.44	3.96	1.52	2.07	61.0	2.88	12	393	250
SK-21-910	3.96	5.49	1.53	4.81	191.0	7.36	43	725	909
SK-21-910	5.49	7.01	1.52	2.43	194.0	5.02	35	736	741
SK-21-910	7.01	8.53	1.52	0.45	53.5	1.16	7	81	194
Composite	2.44	8.53	6.09	2.44	125.0	4.11	24	484	524

Gold Equivalent (AuEq) calculated via the formula: Au (g/t) + [Ag (g/t) / 75]. True widths equate to 100% of reported sample lengths. Grade-capping of individual assays has not been applied to the Au and Ag assays informing the length-weighted AuEq composites. Metallurgical processing recoveries have not been applied to the AuEq calculation and are taken at 100%. Samples below detection limit were nulled to a value of zero.